Date: 12/11/00

STATEMENT OF WORK (SOW)

For the Repair of the 5V Power Supply

NSN: 6130-01-327-9197 P/N: 246089-100; CAGE: 13973

SOW-02-844-1-8D949B-2/1

- 1. This SOW identifies the work effort that shall be performed by the Contractor to rebuild the 5V Power Supply; NSN 6130-01-327-9197; P/N 246089-100; CAGE 13973.
- 2. The attached manuscript has been reviewed and is concurred upon by the following signers:

HARVEY C. DEARING

Weapon System/Equipment Manager Data Systems Section (Code 844-1)

MCLB, Albany GA

GYSGT R. WRYGHT Equipment Specialist Data Systems Section

(Code 844-1)

MCLB, Albany GA

STEPHANIE BYRD

Inventory Manager Data Systems Section

(Code 844-1)

MCLB, Albany GA

TABLE OF CONTENTS

<u>Paragraph</u>	<u>Title</u>	Page
1.0	Scope	1
1.1	Background	1
2.0	Applicable Documents	1
2.1	Military Standards	1
2.2	Other Government Documents and Publications	1
2.3	Industry Standards	2
3.0	Requirements	2
3.1	General Tasks	2
3.2	Detail Tasks	2
3.2.1	Phase I (Pre-Induction)	3
3.2.2	Phase II (Repair)	3
3.2.3	Phase III (Inspection, Testing and Acceptance)	3
3.2.4	Phase IV (Packaging, Handling, Storage and Transportation (PHS&T)	4
3.3	Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM)) 4
3.4	Contractor Furnished Materiel (CFM)	4
3.5	Electrostatic Discharge (ESD) Control Program	4
3.6	Quality Assurance Provisions	4
3.7	Acceptance	5
3.8	Rejection	5
3.9	Configuration Control	5
4.0	Reports	5
4.1	Pre-Induction Checklist	5
4.2	Test/Inspection Report	5
4.3	Repairable Item Inspection Report	5
4.4	Monthly Progress Report	5
<u>Appendix</u>		
A	Standard Form 364 (Rev. 2-80)	A-1

STATEMENT OF WORK FOR THE Inspect Repair Only As Necessary (IROAN) of 5V Power Supply (6130-01-327-9197)

P/N: 246089-100; CAGE: 13973

- **1.0** Scope. This Statement of Work (SOW) establishes, sets forth tasks, and identifies the work effort that shall be performed by the Contractor to IROAN the 5V Power Supply, 6130-01-327-9197; hereafter referred to as the 5V POWER SUPPLY. The 5V POWER SUPPLY, Drawing Number 246089, CAGE 13973, is a component of the Tactical Air Operations Module (TAOM), AN/TYQ-23(V)1. This document contains requirements to restore the 5V POWER SUPPLY to Condition Code "A". Condition Code A is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."
- **1.1** <u>Background</u>: IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- **2.0** <u>Applicable Documents</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards

MIL-STD-129 DoD Standard Practice for Military Marking

MIL-STD-2073-1D DoD Standard Practice for Military Packaging

2.2 Other Government Documents and Publications: The issues of those documents cited below shall be used.

TM-08565A-24P/9 AN/TYQ-23(V)1 Illustrated Parts Breakdown Manual

246089 Parts List, 5V Power Supply

246089-720 Test Specifications

246089-750 Test Procedures

DoD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491.2A Requisitioning of Contractor Furnished Materiel from the

Federal Supply System

Military Handbooks (For Guidance)

MIL-HDBK-61 Configuration Management

2.3 <u>Industry Standards</u>

JESD625-A Requirements for Handling Electrostatic-Discharge

Sensitive ESDS Devices

ANSI/ISO/ASQC Q9003-1994 Quality Systems-Model for Quality Assurance in Final

Inspection and Test

Industry Standards (For Guidance)

ANSI/EIA-649 National Consensus Standard for Configuration

Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697-2179 or DSN 442-2179, or http://www.dodssp.daps.mil. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Bases, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 851-3, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

3.0 Requirements

- **3.1** General Tasks: In fulfilling the specified requirements, the Contractor shall provide materials, labor, equipment, facilities and missing/repair parts, necessary to inspect, diagnose, restore, and test and calibrate the 5V POWER SUPPLY. Upon completion of repairing the subject item it shall be Condition Code "A".
- **3.2** <u>Detail Tasks:</u> The following tasks describe the different phases for repair of the 5V POWER SUPPLY:

Phase I Pre-Induction

Phase II Repair

Phase III Inspection, Testing and Acceptance

Phase IV Packaging, Handling, Storage and Transportation (PHS&T)

- **3.2.1** Phase I (Pre-Induction): A pre-induction inspection analysis shall be performed for each 5V POWER SUPPLY within five working days of induction into the Contractor's facility for evaluation of repair capability. If repair is not feasible, assign Condition Code "H" (CC "H"), notify Marine Corps Logistics Base (844-1), Albany, Georgia for disposition instructions, otherwise assign CC "M" and induct into the repair cycle. The Pre-Induction Checklist (Appendix A) shall be used to report all anomalies and shall be provided to the government in accordance with section 4.0 of this SOW.
- **3.2.2** Phase II (Repair): After pre-induction tests and inspections have been completed, repair of the 5V POWER SUPPLY shall be accomplished in accordance with this SOW. Deficiencies noted on the Pre-Induction Checklist during Phase I shall be repaired/replaced. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair.

a. Hardware

- (1) Replace broken, unserviceable and/or missing hardware including nuts, bolts, screws, washers, turnlock fasteners, mandatory replacement items, safety, and one-time use items. Unserviceable would include any of the above that failed to function properly.
- (2) Ensure proper hardware locking devices are present on all moving mechanical assemblies.
- (3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.
- b. <u>Publications and Documentation:</u> In addition to the documents invoked in Section 3 of this SOW, the Contractor may use the following documents:

246089 Parts List, 5V Power Supply
246089-720 Test Specifications
246089-750 Test Procedures
TM-08565A-24P/9 AN/TYQ-23(V)1 Illustrated Parts Breakdown Manual

3.2.3 Phase III (Inspection, Testing and Acceptance)

- a. Inspection, Testing and Acceptance of the 5V POWER SUPPLY shall be conducted in accordance with the documents and TM listed in paragraph 3.2.2.b and documentation retained by the manufacturer.
- b. The Contractor shall be responsible for correcting any deficiencies identified during inspection/testing. MCLB (Code 844-1), Albany, GA representatives may require the Contractor to repeat tests or portions thereof, if the original tests fail to demonstrate compliance with this SOW.

3.2.4 Phase IV (Packaging, Handling, Storage and Transportation (PHS&T)

- a. The Contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items being prepared for long term storage or shipment to overseas destinations shall be in accordance with the level A requirements of MIL-STD-2073-1D, Appendix J, Table J.Ia., Specialized Preservation Code "GX". Items being prepared for domestic shipment and immediate use shall be to level B requirements. All items subject to damage by electrostatic discharge shall be packed into a reusable fast pack container.
 - b. Marking of all items shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM): GFE is government owned equipment authorized by contract for use by a commercial/government contractor. It is neither consumed during production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into product being manufactured/remanufactured under a contract/statement of work. In the event the Contractor has GFE/GFM requirements, the Management Control Activity (MCA/Code 827-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.
- **3.4** Contractor Furnished Materiel (CFM): The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel is required for repair parts, the contractor shall requisition through the DOD Supply System. DOD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.
- **3.5** Electrostatic Discharge (ESD) Control Program: The contractor shall establish, implement and document an ESD control program following the guidelines provided in JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.
- **3.6** Quality Assurance Provisions: The Contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System Model for Quality Assurance in Final Inspection and Test. The program shall ensure quality throughout all areas to include processing, assembly, inspection, test, maintenance, and preparation for delivery and shipping. Unless otherwise specified in the contract, the contractor shall be responsible for performance of all inspection requirements. The

Government (MCLBA, 844-1) reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements.

- **3.7** Acceptance: The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled, shall be subject to inprocess review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and Marine Corps (Code 844-1) representatives shall be permitted to observe the work or to conduct an inspection.
- **3.8** Rejection: Failure to comply with any of the specified requirements listed herein shall be reason for rejection by MCLB Code 844-1, Albany, representative. The Contractor shall, at no additional cost to MCLB, Albany, Georgia, correct the deficiencies and repeat the verification until an acceptable compliance with acceptance test procedures is demonstrated.
- **3.9** Configuration Control: The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation. MIL-HDBK-61 (paragraph 4.3 and Table 4-9) and ANSI/EIA-649 (paragraph 5.3.4) provide guidance for preparing this configuration control document.
- **4.0** Reports: All report deliverables shall be submitted in hard copy to Commander (Code 844-1), Marine Corps Logistics Bases, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, unless directed otherwise in a Contract Data Requirements List.
- **4.1** <u>Pre-Induction Checklist</u>: The Contractor shall complete the Pre-Induction Inspection Checklist (Appendix A) for each 5V POWER SUPPLY repaired. These documents shall be available prior to final acceptance testing. One copy of each document shall be provided to MCLB (Code 844-1) Albany, Georgia, within 30 days after final acceptance of the 5V POWER SUPPLY.
- **4.2** <u>Test/Inspection Report</u>: The Contractor shall provide a Test/Inspection for each 5V POWER SUPPLY.
- **4.3** Repairable Item Inspection Report: The Contractor shall provide a Repairable Item Inspection Report for each 5V POWER SUPPLY. The report shall be identified by United States Marine Corps Serial Number.
- **4.4** <u>Monthly Progress Report</u>: The Contractor shall provide a Monthly Progress Report summarizing the progress and status of the 5V POWER SUPPLY Program.

INSTRUCTIONS

DEPARTMENT OF DEFENSE: DLAR 4140.55/AR 735.11.2/NAVSUPINST 4440 127E/AFR 400.54/MCO 4430.3E, Reporting of Item and Packaging Discrepancies. and/or DLAR 4140.60/AR 12-12/NAVSUPINST 4920.9B/AFR 67.7/MCO 4140.1B, processing Discrepancy Reports Against Foreign Military Sales Shipments.

CIVILIAN AGENCIES: See FPMR handbo	ok cited in 19 (2) (a).								
REPORT OF DISCREPANCY (ROD) SHIPPING PACKAG	INIC	1.	DATE OF PREPARATI	ON	2. REPORT N	UMBER			
3 TO (Name and Address, Include ZIP Code)	ING	4.	4. FROM. (Name and Address, Include ZIP Code)						
50 SHIPPERS NAME	_	51	NUMBER AND DATE	OF INVOICE		ORTATION DOCU	IMENT NUM	BER	
7a SHIPPER'S NUMBER (Purchase Order/Shipmnet, Contract, che)	76. OFFICE ADMINISTERING CO	ONTRACT			8. REQUISITION etc.)	ER'S NUMBER //	Requisition, Pu	orchase Request,	
SHIPMENT, I	L BILLING, AND RECEIPT DATA			10.	DISCREPA	NCY DATA		П	
NSN/PART NUMBER AND NOMENCLATURE	UNIT OF ISSUE	QUANTITY SHIPPED/ BILLED	QUANTITY RECEIVED	QUAN- TITY	UNIT Price	TOTAL COST	CODE	2	
(a)	(b)	(c)	(d)	(a)	(b)	(c)	(d)		
72 REMARKS (continue on separate shoet of puper if nec	ossany)								

I. DISCREI	ANCYCODES	2 ACTION CODES
CONDITION OF MATERIAL	PRODUCT QUALITY DEFICIENCIES	
C1 - In condition other than that indicated on	Q1 - Deficient material (Applicable to Grant Aid and FMS shipments)	1A - Disposition instructions requested (Reply on reverse)
release/receipt document	SHORTAGE OF MATERIAL	1B - Material being retained (See Remarks)
C2 - Expired shelf life	S1 - Quantity less than that on receipt document	1C - Supporting supply documentation requested
C3 - Damaged parcel post shipment	S2 - Quantity less than that requested (Other than unit of issue pack)	1D - Material still required, expedite shipment (Not
SUPPLY DOCUMENTATION	S3 - Non-receipt of parcel post shipments	applicable to FMS)
D' - Not received	ITEM TECHNICAL DATA MARKINGS (i.e., Name Plates, Log	1E - Local purchase material to be returned at supplier's
D2 - Illegible or mutilated	Books, Operating Handbooks, Special Instructions, etc.)	expense unless disposition instructions to the contrary
D3 - Incomplete, Improper or without authority	1't · Missing	are received within 15 days (Reply oureverse) (Not
(Only when receipt cannot be properly processed)	T2 - Hiegible or Mutilated	applicable to FMS)
MISDIRECTED MATERIAL	T3 - Precauttionary operational markings missing	1F - Replacement shipment requested (Not applicable to
M1 - Addressed to wrong activity	T4 - Inspection data missing or incomplete	FMS)
OVERAGE/DUPLICATE SHIPMENTS	T5 - Serviceability operating data missing or incomplete	1G - Reshipment not required. Item to be re-requisitioned
O1 - Quantity in excess of that on receipt document	T6 - Warranty data missing	1H - No action required. Information only
O2 Quantity in excess of that requested (Other than unit of issue pack)	WRONG ITEM (Identify requested item as a separate copy in Item 9.	1Z - Other action requested (See remarks)
O3 - Quantity duplicate shipment	ahove)	
PACKING DISCREPANCY	W1 - Incorrect item received	
P1 - Improper preservation	W2 - Unacceptable substitute	
P2 - Improper packing	OTHER DISCREPANCIES	
P3 - Improper Marking	Z1 - See Remarks	
P4 - Improper unitization		
13 FUNDING AND ACCOUNTING DATA		

14a TYPED OR PRINTED NAME, TITLE, AND PHONE NUMBER OF PREPARING OFFICIAL	14b. SIGNATURE
15 DISTRIBUTION A DIRECTOR COMPC	<u> </u>

STANDARD FORM 364 (Rev. 2-80) (EG) Prescribed by GSA FPMR 101 20.0

le FROM	17 DISTRIBUTION ADDRESSEES FOR DISTRIBUTION					
IS TO						
		Use window en	velope to mail			
		this document. I	nsert Name and			
		address, includ- starting one typi				
		the left dot. Each NOT extend be				
		Address must not o				
IV ACCORDANCE	E WITH NOTICE OF	space typi DISCREPANCY ON FACE OF THIS FOR				
a MATERIAL DOCUMENT NUMBER		DISCREPANCY ON PACE OF THIS FOR	<u>v1.</u>			
HAS WILL BE SHIPPED		NO RECORD OF SHIPMENT RESUBMI TO PROPER OFFICE UNDER	T REPORT			
AN ADJUSTMENT IN BILLING HAS BEENWILL BE PROCESSED CREDIT	DEBIT		ROOF OF LIVERY			
AN ADJUSTMENT IN BILLING FOR THIS REPORTED DISCREI	PANCY WILL NOT BE PROC	ESSED FOR THE FOLLOWING REASON WHICH IS O	TITED IN			
(1) REASON FOR NOT PROCESSING (a) DISCREPANCY WAS NOT REPORTED WITHIN THE TIME FR	AMES ALLOWED	(2) PRESCRIBING REG (a) CHAPTER 5 OF THE GSA HANDBOOK				
AND:OR		DISCREPANCIES OR DEFICIENCIES IN GS DOD SHIPMENTS, MATERIALS, OR BILLII	A OR			
		(FPMR 101 26.8)				
(b) DOLLAR VALUE DOES NOT MEET THE CRITERIA PRESCRIBI	ED IN THE REGULATION	(b) CHAPTER 2 AND/OR 7 OF DOD 4000.25.	7.M.			
OR AGREEMENT INDICATED IN 191(2)		MILITARY STANDARD BILLING SYSTEM (MILBILLS) AND/OR DD 1513, U.S. DOD OFF	ER AND			
		ACCEPTANCE, AS APPLICABLE				
26 THE FOLI	OWING DISPOSITION IS TO	BE MADE OF THE REFERENCED MATERIAL	DAYS			
PROCESS FOR DISPOSAL IN ACCORDANCE WITH SERVICE-AGENCY DIRECTIVES	b REPRESENTATIVE DISPOSITION	WILL CALL FOR DISCUSSION CONCERNING				
c. RETAIN MATERIAL AT NO CHARGE	d. MATERIAL WILL	NE PICKED UP IN	DAYS			
e. SHIP MATERIAL Specify location)						
(1) GBL APPROPRIATION CHARGEABLE.						
(2) CHARGES COLLECT - VIA FREIGHT	EXPRESS	PARCEL POST				
(3) PARCEL POST LABEL ATTACHED	(4) FREIGHT PRE	PAID				
J	` ' [_]					
ATTION AS AS						
OTHER (Specify)						
21 IF MATERIAL IS STILL REQUIRED.	22 REPLACEMENT W	VITH SATISFACTORY MATERIAL	DATE			
SUBMIT NEW REQUISITION.	WILL BE MADE O					
23. REMARKS (Continue on separate sheet of paper if necessary).	•					
24a TYPED OR PRINTED NAME AND PHONE NUMBER OF PREPARING OFFICIAL	24b SIGNATURE		24c. DATE			
THE STATE OF THE S						

STANDARD FÖRM 364 BACK (REV. 2-80)

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is astimated to everage 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Sand comments regarding this burden estimate or any other espect of this collection of information, including suggestions for reducing the burden. To Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Devis Highway, Suite 1204, Arington, VA 22202-4302. Respondents should be eware that notwithstanding any other prevision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form

A. CONTRACT LINE I	TEM NO.	B. EXHIB	IT	C. CATEGORY:	атис	D						
). SYSTEM/ITEM	Power Supply	E. CONTRACT/PR NO.				OTHERX						
DATA ITEM NO.	2. TITLE OF DATA ITEM		<u> </u>		3. SUBTITLE						 17 P	
A001	Contractor's Pr	ogress, S	Status, and Ma	nagement Report			Manageme	ent			17. PRICE GR	
AUTHORITY (Data Acquisit	ion Bacument No.) MGMT-80227		5. CONTRACT REFERE	NCE	<u></u>	8. REQUIRIS	O OFFICE				18. E	
	9. DIST STATEMENT	10. FREQUEN	ICY	SOW 4.4			MCLB.	A (844)		╢ '	
LT	REQUIRED	<u> </u>	MTHLY	See Blk 1	5	14.	DISTRIBUTION		b. COPIES)PIES		
APP CODE	Α	11. AS OF DA	TE	13. DATE OF SUBSEQUENT SUBMISSION	·	a.	AODRESSEE	Draft		inal		
L REMARKS	nat is authorized.			See Blk 1)	MCLB	A (844-1)	0	Rog 1	Repro O	1	
		as folloy	ws: Delete nar	agraphs 10.3g, 10	3h						i	
								-		<u> </u>		
nonth. Initial st	porting period sha abmission shall b	all be fro e 60 DA	om the first to C.	last business day o	f each							
3lk 13 - Subsequach month.	uent submissions	shall be	10 days after	the last business da	y of			-				
											i I	
distribution Stat	tement A: Appro	oved for	public release	, distribution is unl	imited.			+ -			1	
					Ì							
											İ	
					!							
					}							
					-						† 1	
					ļ						!	
					ļ	<u>-</u>		ļ				
					ŧ						l	
					}] i	İ	
					ļ							
										;	: 	
					-			<u> </u>				
					-			 		—[j		
					-		· - · · · · · · · · · · · · · · · · · · ·					
PREPAR Ç O BY			H. DATE	1 ADDDOUGD DY	1	15. TOTAL		0	1	0		
Sich S.	Swith		12/11/00	1. APPROVED BY	nes	6	nun	J. DATE	المدا	ا(درر		
	AUG 96 (EG)			VIOUS EDITION MAY BE US	11 11 17 TK		NV74 1	V	177	///		

Form Approved

Page

Designed using Perform Pro, WHS/DIOR, Aug 96

OMB No. 0704-0188 (1 Data Item) The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, seerching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other espect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Swite 1204, Arlington, VA 22202-4302. Respondents should be evere that notwithstanding any ether provision of law, no person shall be subject to any penetry for failing to comply with a collection of information if it does not display a currently valid OMB control number to the Government Issuing Contracting Officer for the Contract/PR No. issted in Block £. A. CONTRACT LINE ITEM NO. B. EXHIBIT C. CATEGORY: QTHER TDP D. SYSTEM/ITEM £. CONTRACT/PR NO. F. CONTRACTOR 5V Power Supply 2. TITLE OF DATA ITEM 3. SUBTITLE 17. PRICE GROUP 1. DATA ITEM NO. Integrated Logistics Support Standards B001 Repairable Item Inspection Report 6. REQUIRING OFFICE 4. AUTHORITY (Data Acquisition Document No.) 5. CONTRACT REFERENCE MLCBA (844) SOW 4.3 **DI-ILSS-80386** 12. DATE OF FIRST SUBMISSION 9. DIST STATEMENT 10. FREQUENCY 7. DO 250 REQ DISTRIBUTION REQUIRED See Blk 16 **ASREQ** LT b. COPIES 13. DATE OF SUBSEQUENT 8. APP CODE 11. AS OF DATE a. ADDRESSEE SUBMISSION Draft Α Repro Reg See Blk 16 18. REMARKS
Contractor format is authorized. 0 MCLBA (844-1) 0 Blk 10 - A separate report shall be submitted for each 5V Power Supply repaired. Blks 12 & 13 - Submit report by Marine Corps Serial Number 30 days after completion of each 5V Power Supply. Blk 14 - Reports shall be provided on hard copy. Distribution Statement A: Approved for public release, distribution is unlimited. 0 15. TOTAL 0 J. DATE H. DATE I. APPROVED BY G. PREPARED BY

B. ESTIMATED

TOTAL PRICE

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to everage 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 2202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DD NOT RETURN your form to the above address. Send completed form to the above address.

. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:	741	, ×			
. SYSTEM/ITEM	F CONTR	ACT/PR NO.	F. CONTR				\dashv
5V Power Supply	2. 00.111						
DATA ITEM NO. 2. TITLE OF DATA ITEM			3. SUBTITLE				\neg
B002	Test/Inspection R	-	No	nDestructive Testing	and In	spection	n
AUTHORITY (Data Acquisition Document No.) DI-NDTI-80809B		SOW 4.2		6. REQUIRING OFFICE MCLB	A (844))	
OO 250 REQ Q. QIST STATEMENT REQUIRED	10. FREQUENCY	12. BATE OF FIRST S	ubmission Blk 16	14. DISTRIBUTION	· T		
APP GODE	ASREQ	13. DATE OF SUBSEC		a. AOORESSEE	b. COPIES		
A	ASREQ	SUBMISSION	Blk 16	a. Auungssee	Oraft	Final Reg Repro	
I. REMARKS			DIK 10	MCLBA (844-1)	0	1	0
Contractor format is authorize				DCMAO	0	1	0
Ilk 12 - Submit test report wit acceptance Testing. DCMAO vithin 30 days of receipt. MC Contractor within 30 days afte DCMAO.	thin 30 days after co will review and pr LBA will provide a er receipt of recomn	ompletion of Production of Pro	ection MCLBA ptance to the fits from				
					-		
Blk 13 - The Contractor shall lays of receipt. This review/a eceives approval from the Go	pproval cycle shall	be repeated until the	ne Contractor		 	ļ <u>-</u>	
eceives approvar from the Go	werminent.				 		
Distribution Statement A: App	proved for public re	lease, distribution	is unlimited.		\perp		
, to the desired to the p	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						
					<u> </u>		
					.		
					<u> </u>		
					+	ļ <u></u>	
					 	 	
				<u></u>		.	
					<u> </u>	ļ	
					 		
					-	}	
					 		
					+		
					 -		
							
					-		
					-		
					 -	 	
					+-		
					 	 	
					+		
						 	
					+		
				45 70741	1		\vdash
PREPARED BY		E I ABRO	OVED BY	15. TOTAL	J. DAT	2	0
Sul O M.	H. DAT	11/00 1. APPH	MALA.	81)0-	J. UAI	14.	ا (بر
D FORM 1423-1, AUG 96 (EG)	m 12/	PREVIOUS EDITION	NING	- Using	Page	of	Pages

Designed using Perform Pro. WHS/DIOR. Aug 98

(1 Data Item)

Form Approved OMB No. 0704-0188

....

The public reporting burden for this collection of information is astimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and meintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Devis Highway, Suita 1204, Arington, VA 22202-4302. Respondents should be aware that notwithstending any other provision of law, no person shall be subject to any penalty for falling to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE	ITEM NO.	B. EXHIBIT	•	C. CATEGORY:						
L				TDP TM	OTHE	sX			5.	[
D. SYSTEM/ITEM	D C1	E. CONTRACT/PR NO. F. CONT				ACTOR				
	Power Supply]
E. DATA ITEM NO.	2. TITLE OF DATA (TEM				3. SUBTITLE					17. PRICE G
C001		Dogwood	Eas Daviation			Carfornation Mon				Π
4. AUTHORITY (Data Acquisi		Request	For Deviation		!	Configuration Mar	iageme	nt		
	CMAN-80640C		5. CONTRACT REFEREN	SOW 3.9		8. REQUIRING OFFICE	. /051			18. ESTIMAT TOTAL PI
7. DD 250 REQ	9. DIST STATEMENT	10. FREQUENC		12, DATE OF FIRST SUBMISS	1011	MCLBA	1 (031,			!
LT	REQUIRED		SREQ	SEE BLK		14. DISTRIBUTION				11
8. APP CODE		11. AS OF DAT		13. DATE OF SUBSEQUENT				b. COPIES	· · · · · · · ·	
a. AFF CODE	Α	11. AS OF DAT	c	BUBMISSION		a. ADDRESSEE	Draft		nal	{ }
18. REMARKS				1		NGT DA (051 2)	0	Rag	Repro	┧ ╎
Blk 4 - Contrac	ctor format in .doo	c or .pdf	software is au	thorized.		MCLBA (851-2)	0	11	0	-
					r		 			
nonconforming	RFDs shall be su material which d	oes not n	neet prescribed	l configuration	-		 		<u> </u>	1
							 		-	1
RFDs will be r	eviewed and dispo Government.	osition de	termined with	in 30 calendar da	ys upon				 	1
							 			1
RFDs shall be	submitted via e-m igmngmnt@matco	ail to the	following add	ress:			-			1
momatcomcon	igmngmnt@matco	om.usmc.	mii						-	1
Distmilestian Ct.		d F		#1	. 15 5				<u> </u>	1
Distribution 512	atement A: Appro	oved for p	oudlic release,	distribution is u	ilimitea		 		-	1
										
										i
										
									l	
									<u> </u>	l i
										!
										!
							t t			((
										1
						, NATION AND ADDRESS OF THE PARTY OF THE PAR				[
										İ
									l	
										l I
						_				
							I			[]
										<u> </u>
										i i
C DREDARED DV						15. TOTAL	0	1	0	<u> </u>
G. PREPARED BY	ra Edi	ζ	H. DATE	I. APPROVED I	Υ		J. DATE			
	N (1)		7001						\ \	i :
Samal	ハス・アルル	<i>4001</i> 1	コカルかとこと	77 MA 11		Calaring.	1-	111	<u> </u>	١ ١